

**Table 1. National Estimates for the Most Frequently Identified Drugs: 2007<sup>1</sup>**

*Estimated number and percentage of total drug reports submitted to laboratories from January 1, 2007, through December 31, 2007, and analyzed by March 31, 2008*

<b>Drug</b>	<b>Number</b>	<b>Percent</b>
Cannabis/THC	604,498	33.07%
Cocaine	581,608	31.81%
Methamphetamine	181,933	9.95%
Heroin	88,851	4.86%
Hydrocodone	38,012	2.08%
Alprazolam	34,723	1.90%
Oxycodone	29,663	1.62%
MDMA	25,883	1.42%
Noncontrolled, non-narcotic <sup>2</sup>	12,821	0.70%
Methadone	9,202	0.50%
Clonazepam	8,115	0.44%
Diazepam	7,397	0.40%
Morphine	5,326	0.29%
Carisoprodol	4,860	0.27%
Psilocin/psilocibin	4,479	0.25%
Amphetamine	4,451	0.24%
Phencyclidine (PCP)	4,175	0.23%
Pseudoephedrine	3,999	0.22%
Codeine	3,474	0.19%
Buprenorphine	2,855	0.16%
Ketamine	2,699	0.15%
MDA	2,433	0.13%
Lorazepam	1,903	0.10%
Hydromorphone	1,792	0.10%
Methylphenidate	1,758	0.10%
Procaine	1,692	0.09%
Propoxyphene	1,668	0.09%
Diltiazem	*	*
Testosterone	1,219	0.07%
Dihydrocodeine	1,157	0.06%
Cyclobenzaprine	1,101	0.06%
Ibuprofen	1,073	0.06%
Quetiapine	1,034	0.06%
Fentanyl	966	0.05%
Zolpidem	965	0.05%
Tramadol	954	0.05%
LSD	952	0.05%
Trazodone	921	0.05%
Inositol	*	*
Dextropropoxyphene	781	0.04%
Hallucinogens	*	*

**Table 1. National Estimates for the Most Frequently Identified Drugs: 2007<sup>1</sup>**

*Estimated number and percentage of total drug reports submitted to laboratories from January 1, 2007, through December 31, 2007, and analyzed by March 31, 2008*

<b>Drug</b>	<b>Number</b>	<b>Percent</b>
Promethazine	664	0.04%
Naproxen	614	0.03%
Monoacetylmorphine	604	0.03%
Naloxone	601	0.03%
Iodine	598	0.03%
Lidocaine	598	0.03%
Tetrahydrocannabinols	594	0.03%
Diphenhydramine	583	0.03%
Benzocaine	569	0.03%
Phentermine	540	0.03%
Aspirin	534	0.03%
Hydroxyzine	499	0.03%
Dihydroxycodeinone	462	0.03%
Sildenafil	439	0.02%
Butalbital	438	0.02%
Fluconazole	*	*
Ephedrine	412	0.02%
Phosphorus	398	0.02%
Mannitol	*	*
<i>Top 60 Total</i>	1,694,235	92.68%
<i>All Other Drug Reports</i>	133,902	7.32%
<i>Total Drug Reports</i> <sup>3</sup>	1,828,137	100.00%

*MDMA=3,4-Methylenedioxyamphetamine*

*MDA=3,4-Methylenedioxyamphetamine*

*LSD=lysergic acid diethylamide*

*\* The estimate for this drug does not meet the standards of precision and reliability. See U.S. Drug Enforcement Administration, Diversion Control Division. (2017). National Forensic Laboratory Information System: Statistical Methodology. Springfield, VA: U.S. Drug Enforcement Administration.*

<sup>1</sup> *Sample n's and 95% confidence intervals for all estimates are available on request.*

<sup>2</sup> *As reported by NFLIS laboratories, with no specific drug name provided.*

<sup>3</sup> *Numbers and percentages may not sum to totals because of rounding.*

**Methodology:** A detailed description of the NFLIS estimation methodology may be found in the Statistical Methodology (September 2017) publication at <https://www.nflis.deadiversion.usdoj.gov/DesktopModules/ReportDownloads/Reports/NFLIS2017StatMethodology.pdf>. Additional details about the NFLIS data may be found in the Questions and Answers document at <https://www.nflis.deadiversion.usdoj.gov/DesktopModules/ReportDownloads/Reports/NFLISPublicDataQA.pdf>.

**Table 1. National Estimates for the Most Frequently Identified Drugs: 2007<sup>1</sup>**

*Estimated number and percentage of total drug reports submitted to laboratories from January 1, 2007, through December 31, 2007, and analyzed by March 31, 2008*

---

**Source:** U.S. Drug Enforcement Administration, Diversion Control Division, NFLIS National Forensic Laboratory Information System, 2007. Data generated: February 7, 2018.

**Suggested Citation:** U.S. Drug Enforcement Administration, Diversion Control Division. (2018). *Table 1. National estimates for the most frequently identified drugs: 2007*. Retrieved from the NFLIS Public Resource Library at <https://www.nflis.deadiversion.usdoj.gov/Resources/NFLISPublicResourceLibrary.aspx>